



COOKING EQUIPMENTS



OTHER COOKING UNITS

WORKTOP UNITS



- They are suitable for cafeterias and fast food restaurants.
- All appliances are thermostatically controlled.


PSE 100
SALAMANDER GRILL

PSE 200
SALAMANDER GRILL


MODEL	WIDTH	DEPTH	HEIGHT	ELECTRIC INLET	COOKING SURFACE	POWER	WEIGHT
	mm	mm	mm	V	mm	kW	Kg
PSE 100	500	450	470	220-230V/50-60 Hz	440x320	1.7	34
PSE 200	500	650	470	220-230V/50-60 Hz	640x320	3.4	52


PEK 100
CONVEYOR TOASTER

PEK 101
CONVEYOR TOASTER / WITH QUARTZ CONTROL


MODEL	WIDTH	DEPTH	HEIGHT	ELECTRIC INLET	COOKING SURFACE	POWER	WEIGHT
	mm	mm	mm	V	mm	kW	Kg
PEK 100	465	600	440	220-230V/50-60 Hz	600	3.5	25
PEK 101	409	634	385	220-230V/50-60 Hz	400	2.4	20


PSK 100
HOTDOG ROLLER

PSH 100
HOTDOG BOILER


MODEL	WIDTH	DEPTH	HEIGHT	ELECTRIC INLET	HOTDOG CAP.	POWER	WEIGHT
	mm	mm	mm	V	Pcs.	kW	Kg
PSK 100	500	350	190	220-230V/50-60 Hz	10	0.9	11
PSH 100	550	345	420	220-230V/50-60 Hz	-	3	15


PMH 100
HAMBURGER WARM KEEPER

PMP 100
FRENCH FRIES WARM KEEPER


MODEL	WIDTH	DEPTH	HEIGHT	ELECTRIC INLET	HEAT CAP.	WEIGHT
	mm	mm	mm	V	kW	Kg
PMH 100	800	600	730	220-230V/50-60 Hz	1.2	36
PMP 100	800	600	600	220-230V/50-60 Hz	0.6	26


PMZ 100
PIZZA WARM KEEPER

PMZ 101
PIZZA WARM KEEPER


MODEL	WIDTH	DEPTH	HEIGHT	ELECTRIC INLET	PIZZA CAP.	HEAT CAP.	WEIGHT
	mm	mm	mm	V	Pcs.	kW	Kg
PMZ 100	875	440	630	220-230V/50-60 Hz	2 (dia:30 cm)	0.8	36
PMZ 101	875	440	630	220-230V/50-60 Hz	2 (dia:30 cm)	0.8	32
PMY 101	1150	580	535	220-230V/50-60 Hz	3 (GN 1/1)	2.5	36



PFE 100
MINI FRYER

PFE 200
MINI FRYER


MODEL	FRYING PERIOD	WIDTH	DEPTH	HEIGHT	HEAT CAP.	BASKET CAP.	OIL CAP.	ELECTRIC INLET	WEIGHT
	Minute	mm	mm	mm	kW	Kg	Lt	V	Kg
PFE 100	8-12	280	400	482	3.6	1.25	5	220-230V/50-60 Hz	9
PFE 200	8-12	560	400	482	3,6 + 3,6	1,25 + 1,25	5 + 5	220-230V/50-60 Hz	16


PIK 100

NEUTRAL COAL GRILL / 100 cm


PIK 150

NEUTRAL COAL GRILL / 150 cm

MODEL	WIDTH	DEPTH	HEIGHT	COOKING SURFACE	WEIGHT
	mm	mm	mm	m ²	Kg
PIK 100	900	480	250	0.32	88
PIK 150	1360	480	250	0.50	116
PIK 200	1860	480	250	0.70	144


PIK 152

HOOD FOR NEUTRAL COAL GRILL

MODEL	WIDTH	DEPTH	HEIGHT	WEIGHT
	mm	mm	mm	Kg
PIK 102	1000	650	1130	32
PIK 152	1500	650	1130	42
PIK 202	2000	650	1130	52


SK 600

SOUP KETTLE

MODEL	DIMENSIONS	CAPACITY	POWER	WEIGHT
	cm	lt.	V	Kg
SK 600	Dia: 34.5 cm Height: 36 cm	10	400-475 W 220V-240V	4.5


TG 5530 DE

 CONTACT GRILL
DOUBLE

TG 2530 E

 CONTACT GRILL
SINGLE

TG 2740 E

 CONTACT GRILL
SINGLE


MODEL	CAPACITY	POWER	DIMENSIONS	WEIGHT
	cm	kW	cm	Kg
TG 5530DE	52x23	2 + 2kW, 220V	56x37x26	35
TG 2530E	25x30	2,1kW, 220V	36x41x28	17
TG 2735E	27x35	2,5kW, 220V	42x41x28	20
TG 2740E	27x40	2,75kW, 220V	46x41x28	23
TG 2745E	27x45	3kW, 220V	50x41x28	26