



COOKING EQUIPMENTS



PERFECT 600



- INOKSAN cafeteria lines are ideal for cafeterias, snack bars and fast food restaurants.
- Designed to be used as a complete set.
- The front length of 400 and 600 mm are ideal.



60E 100P COOKER



60G 100P COOKER



60G 101P SHOW COOKER



60G 101PW WOK COOKER



MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	ELECTRIC INLET	WEIGHT
		mm	mm	mm	kW	V	Kg
60E 100P	1/2	400	650	270	3.5	380-400V/3N/AC/50-60 Hz	18

MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	BURNER	GAS INLET	WEIGHT
		mm	mm	mm	kW	Pcs-Ø / Pcs-Ø	V	Kg
60G 100P	1/2	400	650	270	5	-	1/2"	16
60G 101P	1/2	400	650	270	9	1-130	1/2"	29
60G 101PW	1/2	400	650	270	12	-	1/2"	29



6BE 100P

BAIN MARIE



MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	GAS INLET	ELECTRIC INLET	WEIGHT
		mm	mm	mm	kW	Inch	V	Kg
6BE 100P	1/2	400	650	270	1	-	220-230V/50-60 Hz	19



6IE 100P GRILL / SMOOTH



6IE 200P GRILL / SMOOTH



6IE 202P GRILL / 1/2 SMOOTH
1/2 RIBBED



MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	ELECTRIC INLET	WEIGHT
		mm	mm	mm	kW	V	Kg
6IE 100P	1/2	400	650	270	2.85	380-400V/3N/AC/50-60 Hz	37
6IE 200P	1	600	650	270	5.7	380-400V/3N/AC/50-60 Hz	55
6IE 202P	1	600	650	270	5.7	380-400V/3N/AC/50-60 Hz	54



6IE 101P

GRILL / RIBBED



6IE 201P

GRILL / RIBBED



MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	ELECTRIC INLET	WEIGHT
		mm	mm	mm	kW	V	Kg
6IE 101P	1/2	400	650	270	2.85	380-400V/3N/AC/50-60 Hz	36
6IE 201P	1	600	650	270	5.7	380-400V/3N/AC/50-60 Hz	53



6IG 100P

GRILL / SMOOTH



6IG 200P

GRILL / SMOOTH



6IG 202P

GRILL / 1/2
SMOOTH+1/2 RIBBED



6IG 101P

GRILL / RIBBED



6IG 201P

GRILL / RIBBED



6LG 200P

LAVASTONE / GRILL



MODEL	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	DIMENSIONS GRILL	GAS INLET	WEIGHT
		mm	mm	mm	kW	mm	Inch	Kg
6IG 100P	1/2	400	650	270	5	-	1/2"	37
6IG 200P	1	600	650	270	10	-	1/2"	55
6IG 101P	1/2	400	650	270	5	-	1/2"	36
6IG 201P	1	600	650	270	10	-	1/2"	53
6IG 202P	1	600	650	270	10	-	1/2"	54
6LG 200P	1	600	650	270	10	-	1/2"	47



6FE 100P

FRYER



6FE 200P

FRYER



6HE 100P

FRENCH FRIES WARMER



6FE 120D

DIGITAL FRYER
* Cupboards are included



6FE 220D

DIGITAL FRYER
* Cupboards are included



MODEL	MODULE	WIDTH mm	DEPTH mm	HEIGHT mm	HEAT CAP. kW	BASKET CAP. Kg	OIL CAP. Lt	ELECTRIC INLET V	WEIGHT Kg
6FE 100P	1/2	400	650	270	7.2	1	8	380-400V/3N/AC/50-60 Hz	20
6FE 200P	1	600	650	270	14.4	2	16	380-400V/3N/AC/50-60 Hz	37
6HE 100P	1/2	400	650	270	0.5	-	-	220-230V/50-60 Hz	18
6FE 120D	1/2	400	650	850	7.2	1	8	380-400V/3N/AC/50-60 Hz	20
6FE 220D	1	600	650	850	14.4	2	16	380-400V/3N/AC/50-60 Hz	37



6GD 100P

CUPBOARD



6GD 200P

CUPBOARD



**6TN 100P
6TN 200P**

NEUTRAL TABLE



MODEL	MODULE	WIDTH mm	DEPTH mm	HEIGHT mm	WEIGHT Kg
6GD 100P	1/2	400	575	580	16
6GD 200P	1	600	575	580	29
6TN 100P	1/2	400	650	270	12
6TN 200P	1	600	650	270	16